

Dr. Jack Wilmore Legacy Travel Award

Publication Archive

Basic Articles (N=92)

Wilmore, J.H. and S.M. Horvath. Alterations in peripheral blood flow consequent to maximal exercise. *American Heart J.* 66 (3): 353-362, 1963.

Wilmore, J.H. and P.O. Sigereth. Physical work capacity of young girls, 7-13 years of age. *J. Appl. Physiol.* 22: 923-928, 1967.

Wilmore, J.H. A simplified method for obtaining aliquots of respiratory air. *Res. Quart.* 39: 824-828, 1968.

Wilmore, J.H. Maximal oxygen intake and its relationship to endurance capacity on a bicycle ergometer. *Res. Quart.* 40: 203-210, 1969.

Wilmore, J.H. A simplified method for determination of residual lung volumes. *J. Appl. Physiol.* 27: 96-100, 1969.

Wilmore, J.H. The use of actual, predicted and constant residual volumes in the assessment of body composition by underwater weighing. *Med. Sci. Sports* 1: 87-90, 1969.

Wilmore, J.H. Validation of the first and second components of the Heath-Carter modified somotype method. *Amer. J. Phys. Anthro.* 32: 369-372, 1970.

Wilmore, J.H. Wilmore's reaction to "Mathematical model of the time patterns of oxygen consumption during exercise and recovery." Preceedings Annual Meeting of the National College Physical Education Association for Men December 27-30, 1970, Portland, Oregon.

Wilmore, J.H. and W.L. Haskell. Body composition and endurance capacity of professional football players. *J. Appl. Physiol.* 33: 564-567, 1972.

Pollock, M.L., H.S. Miller, Jr., and J. Wilmore. Physiological characteristics of Champion American track athletes 40-75 years of age. *Scientific Congress XX Olympiad, Munchen, Germany, 1972.*

Wilmore, J.H. and D.L. Costill. Adequacy of the Haldane transformation in the computation of exercise VO₂ in man. *J. Appl. Physiol.* 35: 85-89, 1973.

Wilmore, J.H. and J.J. McNamara. Prevalence of coronary heart disease risk factors in boys, 8-12 years of age. *J. Pediatrics* 84: 527-533, 1974.

Wilmore, J.H. and D.L. Costill. Semi-automated systems approach to the assessment of oxygen uptake during exercise. *J. Appl. Physiol.* 36: 618-620, 1974.

Wilmore, J.H. and C.H. Brown. Physiological profiles of women distance runners. *Med. Sci. Sports* 6: 178-181, 1974.

Vodak, P.A. and J.H. Wilmore. Validity of the 6-minute jog-walk and the 600-yard run-walk in estimating endurance capacity in boys, 9-12 years of age. *Res. Quart.* 46: 230-234, 1975.

Wilmore, J.H., J.A. Davis, and A.C. Norton. An automated system for assessing metabolic and respiratory function during exercise. *J. Appl. Physiol.* 40: 619-624, 1976.

Norton, A.C., V. Mashikian, J.H. Wilmore, and C.D. Rader. Development and evaluation of metabolic measurement cart. *Proceedings of the San Diego Biomedical Symposium*. New York: Academic Press, Inc., 1976.

D'Ambrosia, R.D., R.F. Zelis, R.G. Chuinard, and J. Wilmore. Interstitial pressure measurements in the anterior and posterior compartments in athletes with shin splints. *Amer J. Sports Med.* 5: 127-131, 1977.

Norton, A. and J.H. Wilmore. Effects of water vapor on respiratory gas measurements and calculations. *Analyzer* 9: 6-9, 1979.

Barnard, R.J., G.K. Grinditch, and J.H. Wilmore. Physiological characteristics of sprint and endurance Masters runners. *Med. Sci. Sports* 11: 167-171, 1979.

Farrell, P.A., J.H. Wilmore, E.F. Coyle, J.E. Billing, and D.L. Costill. Plasma lactate accumulation and distance running performance. *Med. Sci. Sports* 11: 338-344, 1979.

Wilmore, J.H., P.A. Vodak, R.B. Parr, R.N. Girandola, and J.E. Billing. Further simplification of a method for determination of residual lung volume. *Med. Sci. Sports Exerc.* 12: 216-218, 1980.

Buono, M.J., S.H. Constable, A.R. Morton, T.C. Rotkis, P.R. Stanforth, and J.H. Wilmore. The effect of an acute bout of exercise on selected pulmonary function measurements. *Med. Sci. Sports Exerc.* 13: 290-293, 1981.

Wilmore, J.H., P.A. Farrell, A.C. Norton, R.W. Cote, III, E.F. Coyle, G.A. Ewy, L.P. Temkin, and J.E. Billing. An automated, indirect assessment of cardiac output during rest and exercise. *J. Appl. Physiol.* 52: 1493-1497, 1982.

Boyden, T.W., R.W. Pamenter, D. Grosso, P. Stanforth, T. Rotkis, and J.H. Wilmore. Prolactin responses, menstrual cycles, and body composition of women runners. *J. Clin. Endocrin. Metabolism* 54: 711-713, 1982.

Boyden, T.W., R.W. Pamenter, P. Stanforth, T. Rotkis, and J.H. Wilmore. Evidence for mild thyroidal impairment in women undergoing endurance training. *J. Clin. Endocrin. Metabolism* 54: 53-56, 1982.

Wilmore, J.H., S.H. Constable, P.R. Stanforth, M.J. Buono, Y.W. Tsao, F.B. Roby, Jr., B.J. Lowdon, and R.A. Ratliff. Mechanical and physiological calibration of four cycle ergometers. *Med. Sci. Sports Exerc.* 14: 322-325, 1982.

Morris, A.M., J.M. Williams, A.E. Atwater, and J.H. Wilmore. Age and sex differences in motor performance of 3 through 6 year old children. *Res. Quart. Exerc. Sport* 53: 214-221, 1982.

Wilmore, J.H. The female athlete: physique, body composition and physiological profile. *Australian J. Sport Sci.* 2(2): 2-9, 1982.

Buono, M.J., J.H. Wilmore, and F.B. Roby, Jr. Indirect assessment of thoracic fluid balance following maximal exercise in man. *J. Sports Sci.* 1: 217-226, 1983.

Boyden, T.W., R.W. Pamenter, T.C. Rotkis, P. Stanforth, and J.H. Wilmore. Thyroidal changes associated with endurance training in women. *Med. Sci. Sports Exerc.* 16: 243-246, 1984.

Wilmore, J.H., B.D. Maxwell, S.H. Constable, A.E. Atwater, and T.C. Rotkis. A water displacement method for the determination of breast volume. *Res. Quart. Exerc. Sport* 55: 388-389, 1984.

Boyden, T.W., R.W. Pamenter, P.R. Stanforth, T.C. Rotkis, and J.H. Wilmore. Impaired gonadotropin responses to gonadotropin-releasing hormone stimulation in endurance-trained women. *Fertility Sterility* 41: 359-363, 1984.

Wilmore, J.H. Morphologic and physiologic differences between man and woman relevant to exercise. *Int. J. Sports Med.* 5: 193-194, 1984.

Slaughter, M.H., T.G. Lohman, R.A. Boileau, R.J. Stillman, M. Van Loan, C.A. Horswill, and J.H. Wilmore. Influence of maturation on relationship of skinfolds to body density: A cross-sectional study. *Human Biology* 56(4): 681-689, 1984.

Wilmore, J.H., F.B. Roby, P.R. Stanforth, M.J. Buono, S.H. Constable, Y. Tsao, and B.J. Lowdon. Ratings of perceived exertion, heart rate, and treadmill speed in the prediction of maximal oxygen uptake during submaximal treadmill exercise. *J. Cardiopulmonary Rehabil.* 5: 540-546, 1985.

Wilmore, J.H., F.B. Roby, P.R. Stanforth, M.J. Buono, S.H. Constable, Y. Tsao, and B.J. Lowdon. Ratings of perceived exertion, heart rate, and power output in predicting maximal oxygen uptake during submaximal cycle ergometry. *Physician Sportsmed.* 14(3): 133-143, 1986.

Allen, D., B.J. Freund, and J.H. Wilmore. Interaction of test protocol and horizontal run training on maximal oxygen uptake. *Med. Sci. Sports Exerc.* 18: 581-587, 1986.

Freund, B.J., D. Allen, and J.H. Wilmore. Interaction of test protocol and inclined run training on maximal oxygen uptake. *Med. Sci. Sports Exerc.* 18: 588-592, 1986.

Wilmore, J.H. The aging of bone and muscle. *Clinics Sports Med.* 10: 231-244, 1991.

Turley, K.R., P.J. McBride, and J.H. Wilmore. Resting metabolic rate measured after subjects spent the night at home vs at a clinic. *Am. J. Clin. Nutr.*, 58: 141-144, 1993.

Rogers, D.M., K.R. Turley,, K.I. Kujawa, K.M. Harper, and J.H. Wilmore. The reliability and variability of running economy in 7-, 8-, and 9-year-old children. *Pediat. Exer. Sci.*, 6: 287-296, 1994.

Barata, J.T., T. Schoen, T. van Dijk, and J.H. Wilmore. Comparison between two different impedance analysers in a young adult population engaged in regular physical activity. *Obesity in Europe* 1993, 2: 83-89, 1994.

Rogers, D.M., K.R. Turley, K.I. Kujawa, K.M. Harper, and J.H. Wilmore. Allometric scaling factors for oxygen uptake during exercise in children. *Ped. Exer. Sci.*, 7: 12-25, 1995.

Mier, C.M., M.A. Domenick, N.S. Turner, and J.H. Wilmore. Changes in stroke volume and maximal aerobic capacity with increased blood volume in men and women. *J. Appl. Physiol.* 80: 1180-1186, 1996

Turley, K.R. and J.H. Wilmore. Cardiovascular responses to submaximal exercise in 7-to 9-yr-old boys and girls. *Med. Sci. Sports Exerc.* 29: 824-832, 1997

Pérusse, L., G. Collier, J.Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, A. Nadeau, P.Z. Zimmet, and C. Bouchard. Acute and chronic effects of exercise on leptin levels in humans. *J. Appl. Physiol.* 83: 5-10, 1997.

Rivera M.A., F.T. Dionne, J.A. Simoneau, L. Pérusse, M. Chagnon , Y.Chagnon, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Muscle-specific creatine kinase gene polymorphism and VO₂max in the HERITAGE Family Study. *Med. Sci. Sports Exerc.* 29: 1311-1317, 1997.

Rivera M.A. B. Wolfarth, F.T. Dionne, M. Chagnon, J.A. Simoneau, M.R. Boulay, T.M.K. Song, L. Pérusse, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, J. Keul, and C. Bouchard. Three mitochondrial DNA restriction polymorphisms in elite endurance athletes and sedentary controls. **Med. Sci. Sports Exerc.** 30: 687-690, 1998.

Després, J.-P., J. Gagnon, J. Bergeron, C. Couillard, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Plasma post-heparin lipase activities in the HERITAGE Family Study: The reproducibility, gender differences, and associations with lipoprotein levels. **Clin. Biochem.**, 32: 157-165, 1999.

Rivera, M.A., L. Pérusse, J. Gagnon, F.T. Dionne, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, L. Sjöström, and C. Bouchard. A mitochondrial DNA D-loop polymorphism and obesity in three cohorts of women. **Int. J. Obesity**, 23: 666-668, 1999.

Rankinen, T., L. Pérusse, I. Borecki. Y.C. Chagnon, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. The Na⁺-K⁺ ATPase a2 gene and trainability of cardiorespiratory endurance: the HERITAGE Family Study. **J. Appl. Physiol.** 88: 346-351, 2000.

Chagnon, Y.C., J.H. Wilmore, I.B. Borecki, J. Gagnon, L. Pérusse, M. Chagnon, G.R. Collier, A.S. Leon, J.S. Skinner, D.C. Rao, and C. Bouchard. Associations between the leptin receptor gene and adiposity in middle-aged Caucasian males from the HERITAGE Family Study. **J. Clin. Endo. Metab.** 85(1): 29-34, 2000.

An, P., T. Rice, J. Gagnon, Y. Hong, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. A genetic study of dehydroepiandrosterone sulfate measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. **Metabolism**, 49: 298-304, 2000.

An, P. T. Rice. J. Gagnon, I.B. Borecki, J. Bergeron, J-P. Després, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Segregation analysis of apolipoproteins A-1 and B-100 measured before and after an exercise training program: The HERITAGE Family Study. **Arterioscler. Thromb. Vasc. Biol.**, 20: 807-814, 2000.

Couillard, C., J. Gagnon, J. Bergeron, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, J.-P. Després, C. Bouchard. Contribution of body fatness and adipose tissue distribution to the age variation in plasma steroid hormone concentrations in men : The HERITAGE Family Study. **J. Clin. Endocrinol. Metab.**, 85: 1026-1031, 2000.

Rankinen, T., L. Pérusse, J. Gagnon, Y.C. Chagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Angiotensin-converting enzyme 1D polymorphism and fitness phenotype in the HERITAGE Family Study. **J. Appl. Physiol.**, 88: 1029-1035, 2000.

Garenc, C., L. Pérusse, J. Gagnon, Y.C. Chagnon, J. Bergeron, J.-P. Després, M.A. Province, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Linkage and association studies of the lipoprotein lipase gene with postheparin plasma lipase activities, body fat, and plasma lipid and lipoprotein concentrations: The HERITAGE Family Study. **Metabolism**, 49: 432-439, 2000.

Rankinen, T., J. Gagnon, L. Pérusse, Y.C. Chagnon, T. Rice, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. AGT M235T and ACE ID polymorphisms and exercise blood pressure in the HERITAGE Family Study. **Am. J. Physiol.: Heart Circ Physiol.** 279: H368-H374, 2000.

An, P., T. Rice, J. Gagnon, Y. Hong, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. A genetic study of sex hormone-binding globulin (SHBG) measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. **Metabolism**, 49: 1014-1020, 2000.

Rankinen T., T. Rice, L. Pérusse, Y.C. Chagnon, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. NOS3 Glu298Asp genotype and blood pressure response to endurance training: The HERITAGE Family Study. **Hypertension** 36: 885-889, 2000.

Rivera, M. M. Echegaray, T. Rankinen, L Pérusse, T. Rice, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Angiogenin gene-race interaction for resting and exercise blood pressure phenotypes: The HERITAGE Family Study. **J. Appl. Physiol.** 90: 1232-1238, 2001.

Garenc, C., L. Pérusse, T. Rankinen, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. The TRP64ARG polymorphism of the beta-3 adrenergic receptor gene is not associated with training-induced changes in body composition: The HERITAGE Family Study. **Obes. Research.** 9: 337-341, 2001.

Hong, Y., J. Gagnon, T. Rice, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Familial resemblance for free androgens and androgen glucuronides in sedentary black and white individuals: the HERITAGE Family Study. **J. Endocrinol.** 170: 485-492, 2001.

An, P., T. Rice, J. Gagnon, Y. Hong, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Race differences in the pattern of familial aggregation for dehydroepiandrosterone sulfate and its responsiveness to training in the HERITAGE Family Study. **Metabolism**, 50: 916-920, 2001.

An, P., T. Rice, J. Gagnon, I.B. Borecki, T. Rankinen, C. Gu, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Population differences in the pattern of familial aggregation for sex hormone-binding globulin and its response to exercise training: The HERITAGE Family Study. **Am. J. Human Biol.**, 13: 832-837, 2001.

An P., R. Rosmond, I.B. Borecki, O. Ukkola, T. Rice, J. Gagnon, T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Genome-wide linkage scan to detect loci influencing levels of dehydroepiandrosterones in the HERITAGE Family Study. **Metabolism**, 50: 1315-1322, 2001.

Rivera MA, M. Echegaray, T. Rankinen, L. Pérusse, T. Rice, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. TGF-B1 gene-race interactions for resting and exercise blood pressure in the HERITAGE Family Study. **J. Appl. Physiol.** 91:1808-1813, 2001.

Lanouette, C.-M., Y.C. Chagnon, T. Rice, L. Pérusse, P. Muzzin, J.-P. Giacobino, J. Gagnon, J. H. Wilmore, A.S. Leon, J.S. Skinner, D.C. Rao, and C. Bouchard. Uncoupling protein 3 gene is associated with body composition changes with training in HERITAGE Study. **J. Appl. Physiol.**, 92: 1111-1118, 2002.

Garenc, C., L. Pérusse, Y.C. Chagnon, T. Rankinen, J. Gagnon, I.B. Borecki, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. The hormone-sensitive lipase gene and body composition: the HERITAGE Family Study. **Int. J. Obesity**, 26: 220-227, 2002.

Rankinen T, T. Rice, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. G protein beta 3 polymorphism and hemodynamic and body composition phenotypes in the HERITAGE Family Study. **Physiol. Genomics**. 8: 151-157, 2002.

Ukkola, O., E. Ravussin, P. Jacobson, L. Pérusse, T. Rankinen, M. Tschoöp, M.L. Heiman, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, L. Sjöström, and C. Bouchard. Role of ghrelin polymorphisms in obesity based on three different studies. **Obesity Res.** 10: 782-791, 2002.

Garenc, C., L. Pérusse, Y.C. Chagnon, T. Rankinen, J. Gagnon, I.B. Borecki, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. The alpha2-adrenergic receptor gene and body fat content and distribution: The HERITAGE Family Study. **Molecular Med.** 8: 88-94, 2002.

Jacobson, P., O. Ukkola, T. Rankinen, E.E. Snyder, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, L. Lönn, G.S. Cowan, Jr., L. Sjöström, and C. Bouchard. Melanocortin 4 receptor sequence variations are seldom a cause of human obesity: The Swedish Obese subjects, the HERITAGE Family Study, and a Memphis cohort. **J. Clin. Endocrinol. Metab.** 87: 4442-4446, 2002.

Ukkola, O., T. Rankinen, T. Rice, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Interactions among the β 2 and β 3-adrenergic receptor genes and total body fat and abdominal fat level in the HERITAGE Family Study. **Int. J. Obesity**, 27: 389-393, 2003.

An, P. Y. Hong, S.J. Weisnagel., T. Rice, T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, Y.C. Chagnon, R.N. Bergman, C. Bouchard, and D.C. Rao. Genomic scan of glucose and insulin metabolism phenotypes: The HERITAGE Family Study. **Metabolism**. 52: 246-253, 2003.

Argyropoulos G., T. Rankinen T, F. Bai, T. Rice, M.A. Province, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, C. Bouchard. The agouti related protein and body fatness in humans. **Int. J. Obesity** 27:276-280, 2003.

Simonen, R.L., T. Rankinen, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. A dopamine D2 receptor gene polymorphism and physical activity in two family studies. **Physiol. Behav.**, 78: 751-757, 2003.

An, P., I.B. Borecki, T. Rankinen, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard and D.C. Rao. Evidence of major genes for exercise heart rate and blood pressure at baseline and in response to 20 weeks of endurance training: The HERITAGE Family Study. **Int. J. Sports Med.** 24: 492-498, 2003.

Rankinen, T., T. Rice, A. Boudreau, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Titin is a candidate gene for stroke volume response to endurance training. The HERITAGE Family Study. **Physiol. Genomics**, 15: 27-33, 2003.

Garenc, C., L. Pérusse, Y.C. Chagnon, T. Rankinen, J. Gagnon, I.B. Borecki, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Effects of beta₂-adrenergic receptor gene variants on adiposity: The HERITAGE Family Study. **Obesity Research**, 11: 612-618, 2003.

Lakka, TA., T. Rankinen, S.J. Weisnagel, Y.C. Chagnon, T. Rice, A. S Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. A quantitative trait locus on 7q31 for the changes in plasma insulin in response to exercise training: The HERITAGE Family Study. **Diabetes**, 52: 1583-1587, 2003.

Couillard, C, J. Bergeron, J.P. Després, J. Gagnon, T. Rankinen, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore and C. Bouchard. Apolipoprotein AI and AI:AI containing lipoproteins in white men and women of the HERITAGE Family Study: Associations with metabolic risk profile variables. **Metabolism** 52:1530-1536, 2003.

Desmeules, A, C. Couillard, A. Tchernof, J. Bergeron, T. Rankinen, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, J.-P. Després and C. Bouchard. Post-heparin lipolytic enzyme activities, sex hormones and sex hormone-binding globulin (SHBG) in men and women: the HERITAGE Family Study. **Atherosclerosis** 171:343-350, 2003.

Sklan, E.H., A. Lowenthal, M. Korner, Y. Ritov, D.M. Landers, T. Rankinen, C. Bouchard, A.S. Leon, T. Rice, D.C. Rao, J.H. Wilmore, J.S. Skinner, and H. Soreq.

Acetylcholinesterase/paraoxonase genotype and expression predict anxiety scores in health, risk factors, exercise training, and genetics study. **Proc. Nat. Acad. Sci.** 101: 5512-5517, 2004.

Lakka, T..A., T. Rankinen, S.J. Weisnagel, Y.C. Cagnon, H.-M. Lakka, O. Ukkola, N. Boulé, T. Rice, A.S. Leon, J.S. Skinner, J. H. Wilmore, D.C. Rao, R. Bergman, and C. Bouchard. Leptin and leptin receptor gene polymorphisms and changes in glucose homeostasis in response to regular exercise in nondiabetic individuals. **Diabetes**, 53: 1603-1608, 2004.

An, P., I.B. Borecki, T. Rankinen, J.-P. Després, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Evidence of major genes for plasma HDL, LDL cholesterol and triglyceride levels at baseline and in response to 20 weeks of endurance training: The HERITAGE Family Study. **Int. J. Sports Med.**, 26: 414-419, 2005.

Feitosa M.F., T. Rice, T. Rankinen, L. Almasy, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard and D.C. Rao. Common genetic and environmental effects on lipid phenotypes: The HERITAGE Family Study. **Human Heredity**, 59:34-40, 2005.

Ukkola O., T. Rankinen, T. Lakka, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, Y.A. Kesaniemi, and C. Bouchard. Protein tyrosine phosphatase 1B variant associated with fat distribution and insulin metabolism. **Obesity Res.**, 13:829-834, 2005.

Feitosa, M.F., T. Rice, T. Rankinen, M.A. Province, Y.C. Chagnon, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, J.-P. Després, C. Bouchard, D.C. Rao, and I.B. Borecki. Evidence of QTLs on chromosomes 13q and 14q for triglycerides before and after 20 weeks of exercise training: The HERITAGE Family Study, **Atherosclerosis** 182: 349-360, 2005.

Lakka, T.A., H.M. Lakka, T. Rankinen, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. **Eur. Heart J.**, 26: 2018-2025, 2006.

Applied Articles (N=99)

Wilmore, J.H. and W.L. Haskell. Use of the heart rate-energy expenditure relationship in the individualized prescription of exercise. Amer. J. Clin. Nutr. 24: 1186-1192, 1971.

Moody, D.L., J.H. Wilmore, R.N. Girandola, and J.P. Royce. The effects of a jogging program on the body composition of normal and obese high school girls. Med. Sci. Sports 4: 210-213, 1972.

Amsterdam, E.A., J.H. Wilmore, and A.N. DeMaria. Editorial: Symposium on Exercise in Cardiovascular Health and Disease. Amer. J. Cardiol. 33: 713-714, 1974.

Wilmore, J.H. Individual exercise prescription. Amer. J. Cardiol. 33: 757-759, 1974.

Wright, H.F. and J.H. Wilmore. Estimation of relative body fat and lean body weight in a United States Marine Corps population. Aerospace Med. 45: 301-306, 1974.

Wilmore, J.H. Adolescence: Training to fit the sport. Physician Sportsmed. 2: 31-35, 1974.

Wilmore, J.H. The female athlete: Body composition and strength development. J. Health, Physical Educ. Rec. 46: 38-40, 1975.

Wilmore, J.H. Exercise prescription: Role of the physiatrist and allied health professional. Arch. Phys. Med. Rehabil. 57: 315-320, 1976.

Wilmore, J.H. Mass spectrometry: Application in the exercise sciences. Critical Care Medicine 4: 230-234, 1976.

Wilmore, J.H. Nutrition as an ergogenic aid. Proceedings of the Joint Meeting of the NCPEAM and NAPECW. Orlando, Fla., January 1977, pp. 102-111.

Wilmore, J.H. and J.A. Davis. Validation of a physical abilities field test for the selection of state traffic officers. J. Occup. Med. 21: 33-40, 1979.

Davis, J.A. and J.H. Wilmore. Validation of a bench stepping test for cardiorespiratory fitness classification of emergency service personnel. J. Occup. Med. 21: 671-673, 1979.

Wilmore, J.H., J.A. Davis, R.S. O'Brien, P.A. Vodak, G.R. Walder, and E.A. Amsterdam. Physiological alterations consequent to 20-week conditioning programs of bicycling, tennis, and jogging. Med. Sci. Sports Exerc. 12: 1-8, 1980.

Wilmore, J.H., S.H. Constable, P.R. Stanforth, W.Y. Tsao, T.C. Rotkis, R.M. Paicius, C.M. Mattern, and G.A. Ewy. Prevalence of coronary heart disease risk factors in 13- to 15-year-old boys. J. Cardiac Rehab. 2: 223-233, 1982.

Rotkis, T.C., R. Cote, E. Coyle, and J.H. Wilmore. Relationship between high density lipoprotein cholesterol and weekly running mileage. *J. Cardiac Rehab.* 2: 109-112, 1982.

Binkhorst, R.A. and J.H. Wilmore. Tests, training and overtraining in strength and explosive sports. *Int. J. Sports Med.* 3: 50, 1982.

Chow, R.J. and J.H. Wilmore. The regulation of exercise intensity by ratings of perceived exertion. *J. Cardiac Rehab.* 4: 382-387, 1984.

Wilmore, J.H., G.A. Ewy, and L.J. Kettel. Cardiac rehabilitation. *Arizona Med.* XLI7: 487-488, 1984.

Wilmore, J.H. and B.J. Freund. Nutritional enhancement of athletic performance. *Rev. Clin. Nutr.* 54(1): 1-15, 1984.

Weinsier, R.L., T.A. Wadden, C. Ritenbaugh, G.G. Harrison, F.S. Johnson, and J.H. Wilmore. Recommended therapeutic guidelines for professional weight control programs. *Amer. J. Clin. Nutr.* 40: 865-872, 1984.

Wilmore, J.H., A.E. Atwater, B.D. Maxwell, D.L. Wilmore, S.H. Constable, and M.J. Buono. Alterations in breast morphology consequent to a 21-day bust developer program. *Med. Sci. Sports Exerc.* 17: 106-112, 1985.

Wilmore, J.H., A.E. Atwater, B.D. Maxwell, D.L. Wilmore, S.H. Constable, and M.J. Buono. Alterations in body size and composition consequent to Astro-Trimmer and Slim-Skins training programs. *Res. Quart. Exerc. Sport* 56: 90-92, 1985.

Areskog, N.-H. and J.H. Wilmore. Workshop I: Developing the exercise prescription for patients on chronic beta blockade. *Am. J. Cardiol.* 55: 167D-168D, 1985.

Hartzell, A.A., B.J. Freund, S.M. Jilka, M.J. Joyner, R.L. Anderson, G.A. Ewy, and J.H. Wilmore. The effect of beta-adrenergic blockade on ratings of perceived exertion during submaximal exercise before and following endurance training. *J. Cardiopulmonary Rehabil.* 6: 444-456, 1986.

Cote, R.W., III and J.H. Wilmore. A practical assessment of body composition in young women. *J. Sports Med. Physical Fitness* 26: 427-430, 1986.

Brownell, K.D., S.N. Steen, and J.H. Wilmore. Weight regulation practices in athletes: analysis of metabolic and health effects. *Med. Sci. Sports Exerc.* 19: 546-556, 1987.

Strong, W.B. and J.H. Wilmore. Unfit kids: an office-based approach to physical fitness. *Contemporary Pediat.* 5: 33-48, 1988.

Martin, N.B., C.E. Broeder, E.L. Thomas, K.C. Wambsgans, K.D. Scruggs, J.K. Jesek, Z. Hofman, and J.H. Wilmore. Comparison of the effects of pindolol and propranolol on exercise performance in young men with systemic hypertension. *Am. J. Cardiol.* 64: 343-347, 1989.

Wilmore, J.H., K.C. Wambsgans, R.C. Kunkel, S.B. Baron, G.A. Ewy, J.P. Goolsby, D.L. Morris, W.A. Robinson, M. Strauss, and J.K. Kalis. Effect of beta-adrenergic blockade on achievement of the trained state in post-MI patients: nonselective vs beta1-selective blockers. *J. Cardiopulmonary Rehabil.* 10: 50-57, 1990.

Jesek, J.K., N.B. Martin, C.E. Broeder, E.L. Thomas, K.C. Wambsgans, Z. Hofman, J.L. Ivy, and J.H. Wilmore. Changes in plasma free fatty acids and glycerols during prolonged exercise in trained and hypertensive persons taking propranolol and pindolol. *Am. J. Cardiol.* 66: 1336-1341, 1990.

Bouchard, C., A.S. Leon, D.C. Rao, J.S. Skinner, and J.H. Wilmore. Fitness and risk-factors for coronary disease. *J. Clin. Epidemiol.* 43: 1005-1007, 1990.

Wilmore, J.H. Eating and weight disorders in the female athlete. *Int. J. Sport Nutr.* 1: 104-117, 1991.

Strong, W.B., R.J. Deckelbaum, S.S. Gidding, R-E.W. Kavey, R. Washington, J.H. Wilmore, and C.L. Perry. Integrated cardiovascular health promotion in childhood. *Circulation.* 85: 1638-1650, 1992.

Strong, W.B., R.J. Deckelbaum, S.S. Gidding, R-E.W. Kavey, R. Washington, J.H. Wilmore, and C.L. Perry. Integrated cardiovascular health promotion in childhood. *Heart Disease Stroke* 1: 259-266, 1992. (reprinted from Circulation: see #141 above)

Stanforth, P.R., T.L. Painter, and J.H. Wilmore. Alterations in concentric strength consequent to Powercise and Universal Gym circuit training. *J. Appl. Sport Sci. Res.* 6: 152-157, 1992.

Washington, R.L., J.T. Bricker, B.S. Alpert, S.R. Daniels, R.J. Deckelbaum, E.A. Fisher, S.S. Gidding, J.Isabel-Jones, R.-E.W. Kavey, G.R. Marx, W.B. Strong, D.W. Teske, J.H. Wilmore, and M. Winston. Guidelines for exercise testing in the pediatric age group. *Circulation,* 90: 2166-2179, 1994.

Pate, R.R., M. Pratt, S.N. Blair, W.L. Haskell, C.A. Macera, C. Bouchard, D.Buchner, W. Ettinger, G.W. Heath, A.C. King, A. Kriska, A.S. Leon, B.H. Marcus, J. Morris, R.S. Paffenbarger, Jr., K. Patrick, M.L. Pollock, J.M. Rippe, J. Sallis, and J.H. Wilmore. Physical activity and public health: A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *JAMA,* 273: 402-407, 1995.

Wilmore, J.H. Variations in physical activity habits and body composition. *Int. J. Obesity*, 19: S107-S112, 1995.

Rogers, D.M., B.L. Olson, and J.H. Wilmore. Scaling for the VO₂-to-body size relationship among children and adults. *J. Appl. Physiol.* 79: 958-967, 1995.

Morton, A.R., K. King, S. Papalia, C. Goodman, K.R. Turley, and J.H. Wilmore. Comparison of maximal oxygen consumption with oral and nasal breathing. *Australian J. Sci. Med. Sport.* 27: 51-55, 1995.

Gagnon, J., M.A. Province, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. The HERITAGE Family Study: Quality assurance and quality control. *Ann. Epidemiol.* 6: 520-529, 1996.

Byrne, H.K. J.N. Craig, J.H. Wilmore. A comparison of the effects of underwater treadmill walking to dry land treadmill walking on oxygen consumption, heart rate and cardiac output. *J. Aquatic Physical Therapy*. 4: 4-11, 1996.

Broeder, C.E., K.A. Burrhus, L.S. Svanevik, J. Volpe, and J.H. Wilmore. Assessing body composition before and after resistance or endurance training. *Med. Sci. Sports Exerc.*, 29: 705-712, 1997.

Otis, C.L., B. Drinkwater, M. Johnson, A. Loucks, and J.Wilmore. The female athlete triad: American College of Sports Medicine Position Stand. *Med. Sci. Sports Exerc.* 29 (#5): i-ix, 1997.

Wilmore JH, Stanforth PR, Domenick, M.A., Gagnon J, Leon AS, Skinner JS, Rao DC and Bouchard C. Reproducibility of anthropometric and body composition measurements: the HERITAGE Family Study. *Int. J. Obesity*, 21: 297-303, 1997.

Pollock, M.L., L.J. Mengelkoch, J.E. Graves, D.T. Lowenthal, M.C. Limacher, C. Foster, and J.H. Wilmore. Twenty-year follow-up of aerobic power and body composition of older track athletes. *J. Appl. Physiol.* 82: 1508-1516, 1997.

Daw, E.W., M.A. Province, J. Gagnon, J.P. Despres, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore and D.C. Rao. Reproducibility of the HERITAGE Family Study intervention protocol: Drift over time. *Annals Epidemiol.*, 7: 452-462, 1997.

Rice T., J.P. Després, E.W. Daw, J. Gagnon, I.B. Borecki, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Familial resemblance for abdominal visceral fat: The HERITAGE Family Study. *Int. J. Obes.*, 21: 1024-1031, 1997.

El-Moalem H.E., J. Gagnon, M. Province, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. Race differences in reproducibilities: The HERITAGE Family Study. **Am. J. Human Biol.**, 9: 415-424, 1997.

Rice, T., E.W. Daw, J. Gagnon, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. Familial resemblance for body composition measures: The HERITAGE Family Study. **Obesity Res.**, 5: 557-562, 1997.

Turley, K.R. and J.H. Wilmore. Submaximal cardiovascular responses to exercise in children: treadmill versus cycle ergometer. **Pediat. Exerc. Sci.**, 9: 331-341, 1997.

Daw, E.W., M.A. Province, J. Gagnon, J.P. Després, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore and D.C. Rao. Reproducibility of the HERITAGE Family Study intervention protocol: Drift over time. **Annals Epidemiol.**, 7: 452-462, 1997

Rice T., J.P. Després, E.W. Daw, J. Gagnon, I.B. Borecki, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Familial resemblance for abdominal visceral fat: The HERITAGE Family Study. **Int. J. Obes.**, 21: 1024-1031, 1997.

El-Moalem H.E., J. Gagnon, M. Province, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. Race differences in reproducibilities: The HERITAGE Family Study. **Am. J. Human Biol.**, 9: 415-424, 1997.

Rice, T., E.W. Daw, J. Gagnon, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. Familial resemblance for body composition measures: The HERITAGE Family Study. **Obesity Res.**, 5: 557-562, 1997.

Turley, K.R. and J.H. Wilmore. Submaximal cardiovascular responses to exercise in children: treadmill versus cycle ergometer. **Pediat. Exerc. Sci.**, 9: 331-341, 1997.

Rice T., J.P. Després, L. Pérusse, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. Segregation analysis of abdominal visceral fat: The HERITAGE Family Study. **Obes. Res.** 5: 417-424, 1997.

Bouchard, C., E.W. Daw, T. Rice, L. Pérusse, J. Gagnon, M.A. Province, A.S. Leon, D.C. Rao, J.S. Skinner, and J.H. Wilmore. Familial resemblance for VO₂ max in the sedentary state: The HERITAGE family study. **Med. Sci. Sports Exerc.**, 30: 252-258, 1998.

Wilmore J.H., P.R Stanforth, K.R. Turley, J. Gagnon, E.W. Daw, A.S. Leon, D.C. Rao, J.S. Skinner, and C. Bouchard. Reproducibility of cardiovascular, respiratory and metabolic responses to submaximal exercise: The HERITAGE Family Study. **Med. Sci. Sports Exerc.**, 30: 259-265, 1998.

Wilmore, J.H., A.R. Morton, H.J. Gilbey, and R.J. Wood. Role of taste preference on fluid intake during and after 90 min of running at 60% of VO₂ max in the heat. **Med. Sci. Sports Exerc.** 30: 587-595, 1998.

Wilmore, J.H. Building strong academic programs for the future. **Quest**, 50: 103-107, 1998.

Gu, C., I. Borecki, J. Gagnon, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore and D.C. Rao. Familial resemblance for resting blood pressure with particular reference to race differences: The HERITAGE Family Study. **Human Biol.**, 70: 77-90, 1998.

Wilmore, J.H., P.R. Stanforth, L.A. Hudspeth, J. Gagnon, E.W. Daw, A.S. Leon, D.C. Rao, J.S. Skinner, and C. Bouchard. Alterations in resting metabolic rate as a consequence of 20 wk of endurance training: The HERITAGE Family Study. **Am. J. Clin. Nutr.**, 68: 66-71, 1998.

Stanforth, P.R., M.D. Ruthven, J. Gagnon, C. Bouchard, A.S. Leon, D.C. Rao, J.S. Skinner, and J.H. Wilmore. Accuracy of prediction equations to estimate submaximal VO₂ during cycle ergometry: The HERITAGE Family Study. **Med. Sci. Sports. Exerc.** 31: 183-188, 1999.

Wilmore, J.H., J.-P. Després, P.R. Stanforth, S. Mandel, T. Rice, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, and C. Bouchard. Alterations in body weight and composition consequent to 20 wk of endurance training: the HERITAGE Family Study. **Am. J. Clin. Nutr.**, 70: 346-352, 1999.

Bouchard, C., P. An, T. Rice, J.S. Skinner, J.H. Wilmore, J. Gagnon, L. Pérusse, A.S. Leon, and D.C. Rao. Familial aggregation of VO₂ max response to exercise training: results from the HERITAGE Family Study. **J. Appl. Physiol.**, 87: 1003-1008, 1999.

Skinner, J.S., K.M. Wilmore, A. Jaskólska, A. Jaskólski, E.W. Daw, T. Rice, J. Gagnon, A.S. Leon, J. Wilmore, D.C. Rao, and C. Bouchard. Reproducibility of maximal exercise test data in the HERITAGE Family Study. **Med. Sci. Sports. Exerc.** 31: 1623-1628, 1999.

Rice, T., Y. Hong, L. Pérusse, J.P. Després, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Total body fat and abdominal visceral fat response to exercise training in the HERITAGE Family Study: Evidence for major locus but no multifactorial effects. **Metabolism**, 48: 1278-1286, 1999.

Skinner, J.S., K.M. Wilmore, J.B. Krasnoff, A. Jaskólska, A. Jaskólski, J. Gagnon, M.A. Province, A.S. Leon, D.C. Rao, J.H. Wilmore, and C. Bouchard. Adaptation to a standardized training program and changes in fitness in a large, heterogeneous population: The HERITAGE Family Study. **Med. Sci. Sports Exerc.**, 32: 157-161, 2000.

Pérusse, L., T. Rice, M.S. Province, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Familial aggregation of amount and distribution of subcutaneous fat and their responses to exercise training in the HERITAGE Family Study. **Obesity Res.**, 8: 140-150, 2000.

Wilmore, J.H., P.R, Stanforth, J. Gagnon, T. Rice, S. Mandel, A.S. Leon, D.C. Rao, J.S. Skinner, C. Bouchard. Cardiac output and stroke volume changes with endurance training: The HERITAGE Family Study. **Med. Sci. Sports Exerc.** 33: 99-106, 2001.

Wilmore, J.H., P.R. Stanforth, J. Gagnon, T. Rice, S. Mandel, A.S. Leon, D.C. Rao, J.S. Skinner, C. Bouchard. Heart rate and blood pressure changes with endurance training: The HERITAGE Family Study. **Med. Sci. Sports Exerc.** 33: 107-116, 2001

An P., T. Rice, J. Gagnon, A.S. Leon, J.S. Skinner, C. Bouchard, D.C. Rao, and J.H. Wilmore. Familial aggregation of stroke volume and cardiac output during submaximal exercise: The HERITAGE Family Study. **Int. J. Sports Med.** 21: 566-572, 2001.

Byrne, H.K. and J.H. Wilmore. The relationship of mode and intensity of training on resting metabolic rate in women. **Int. J. Sport Nutr.** 11: 1-14, 2001.

Byrne, H.K. and J.H. Wilmore. The effects of a 20-week exercise training program on resting metabolic rate in previously sedentary, moderately obese women. **Int. J. Sport Nutr.** 11: 15-31, 2001.

Skinner, J.S., A. Jaskólski, A. Jaskólska, J. Krasnoff, J. Gagnon, A.S. Leon, D.C. Rao, J.H. Wilmore, and C. Bouchard. Age, sex, race, initial fitness and response to training: The HERITAGE Family Study. **J. Appl. Physiol.** 90:1770-1776, 2001.

Wilmore, J.H. and D.L. Costill. Physical energy: fuel metabolism. **Nutr. Rev.** 59: S13-S16, 2001.

Katzmarzyk, P.T., J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Fitness, fatness and estimated coronary heart disease risk: The HERITAGE Family Study. **Med. Sci. Sports Exerc.** 33: 585-590, 2001.

Pérusse, L., J. Gagnon, M.A. Province, D.C. Rao, J.H. Wilmore, A.S. Leon, C. Bouchard, and J.S. Skinner. Familial aggregation of submaximal aerobic performance in the HERITAGE Family Study. **Med. Sci. Sports Exerc.** 33: 597-604, 2001.

Wilmore, J.H. Dose-response: variation with age, sex, and health status. **Med. Sci. Sports Exerc.** 33: S622-S634, 2001.

Gaskill, S.E., T. Rice, C. Bouchard, J. Gagnon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and A.S. Leon. Familial resemblance in ventilatory threshold: the HERITAGE Family Study. **Med. Sci. Sports Exerc.** 33: 1832-1840, 2001.

Gaskill, S.E., A.H, Walker R,A, Serfass,, C. Bouchard, J. Gagnon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and A.S. Leon. Changes in ventilatory threshold with exercise training in a sedentary population: The HERITAGE Family Study. **Int. J. Sports Med.** 22: 586-592, 2001.

Leon, A.S., S.E. Gaskill, T. Rice, J. Bergeron, J. Gagnon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Variability in the response of HDL cholesterol to exercise training in the HERITAGE Family Study. **Int. J. Sports Med.** 23: 1-9, 2002.

Byrne, H.K. and J.H. Wilmore. The effects of resistance training on resting blood pressure in women. **J. Strength Cond. Res.** 14: 411-418, 2000.

Tanaka, S., K. Togashi, T. Rankinen, L. Pérusse, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore and C. Bouchard. Is adiposity at normal body weight relevant for cardiovascular disease risk? **Int. J. Obesity**, 26: 176-183, 2002.

Rice, T., P. An, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Heritability of HR and BP response to exercise training in the HERITAGE Family Study. **Med. Sci. Sports Exerc.**, 34: 972-979, 2002.

Jackson, A.S., P.R. Stanforth, J. Gagnon, T. Rankinen, A.S. Leon, D.C. Rao, J.S. Skinner, C. Bouchard, and J.H. Wilmore. The effect of sex, age and race on estimating percentage body fat from body mass index: The HERITAGE Family Study. **Int. J. Obesity**. 26: 789-796, 2002.

An, P., L. Pérusse, T. Rankinen, I.B. Borecki, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Familial aggregation of exercise heart rate and blood pressure in response to 20 weeks of endurance training: The HERITAGE Family Study. **Int. J. Sports Med.**, 24: 57-62, 2003.

Wilmore, J.H. Aerobic exercise and endurance: Improving fitness for health benefits. **Physician Sports Med.** 31 (#5): 45-51, 2003.

Rico-Sanz, J., T. Rankinen, D. Joalis, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. Familial resemblance of muscle phenotypes in the sedentary state and their responses to training: the HERITAGE Family Study. **Med. Sci. Sports Exerc.** 35:1360-1366, 2003.

Katzmarzyk, P.T., A.S. Leon, J.H. Wilmore, J.S. Skinner, D.C. Rao, T. Rankinen and C. Bouchard. Targeting the metabolic syndrome with exercise: Evidence from the HERITAGE Family Study. **Med. Sci. Sports Exerc.** 35:1703-1709, 2003.

Skinner, J.S., S.E. Gaskill, T. Rankinen, A.S. Leon, D.C. Rao, J.H. Wilmore and C. Bouchard. Heart rate vs. VO₂ max: age, sex, race, initial fitness and training response- HERITAGE. **Med. Sci. Sports Exer.** 35:1908-1913, 2003.

Janssen, I., P.T. Katzmarzyk, R. Ross, A.S. Leon, J.S. Skinner, D.C. Rao, J.H. Wilmore, and C. Bouchard. Fitness alters the association of BMI and waist circumference with total and abdominal fat. **Obesity Res.** 12: 525-537, 2004.

Stanforth, P.R., A.S. Jackson, J.S. Green, J. Gagnon, T. Rankinen, J.-P. Després, C. Bouchard, A.S. Leon, D.C. Rao, J.S. Skinner, and J.H. Wilmore. Generalized abdominal visceral fat prediction models for black and white adults aged 17-65 y: the HERITAGE Family Study. **Int. J. Obesity**, 12: 925-932, 2004.

Loos, R.J.F., T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Calcium intake is associated with adiposity in black and white men and white women of the HERITAGE Family Study. **J. Nutr.** 134: 1772-1778, 2004.

Green, J.S., P.R. Stanforth, T. Rankinen, A.S. Leon, D.C. Rao, J.S. Skinner, C. Bouchard, and J.H. Wilmore. The effects of exercise training on abdominal visceral fat, body composition and indicators of the metabolic syndrome in postmenopausal women with and without estrogen replacement therapy: The HERITAGE Family Study. **Metabolism** 53: 1192-1196, 2004.

Turley, K.R., P.R. Stanforth, T. Rankinen, C. Bouchard, A.S. Leon, D.C. Rao, J.S. Skinner, and J.H. Wilmore. Scaling submaximal exercise cardiac output and stroke volume: The HERITAGE Family Study. **Int. J. Sports. Med.**, 27: 993-999, 2006.

Wilmore, J.H. The obesity epidemic. **Current Sports Medicine Reports**, 6: 345-346, 1997.

Basic & Applied (N=136)

Wilmore, J.H. The influence of motivation on physical work capacity and performance. *J. Appl. Physiol.* 24: 459-463, 1968.

Wilmore, J.H. and A.R. Behnke. Predictability of lean body weight through anthropometric assessment in college men. *J. Appl. Physiol.* 25: 349-354, 1968.

Wilmore, J.H. and A.R. Behnke. An anthropometric estimation of body density and lean body weight in young men. *J. Appl. Physiol.* 27: 25-31, 1969.

Wilmore, J.H. and A.R. Behnke. An anthropometric estimation of body density and lean body weight in young women. *Amer. J. Clin. Nutr.* 23: 267-274, 1970.

Wilmore, J.H., J. Royce, R.N. Girandola, F.I. Katch, and V.L. Katch. Physiological alterations resulting from a 10-week program of jogging. *Med. Sci. Sports* 2: 7-14, 1970.

Wilmore, J.H., J. Royce, R.N. Girandola, F.I. Katch, and V.L. Katch. Body composition changes with a 10-week program of jogging. *Med. Sci. Sports* 2: 113-117, 1970.

Wilmore, J.H., R.N. Girandola, and D.L. Moody. Validity of skinfold and girth assessment for predicting alterations in body composition. *J. Appl. Physiol.* 29: 313-317, 1970.

Altekrose, E.B. and J.H. Wilmore. Changes in blood chemistries following a controlled exercise program. *J. Occup. Med.* 15: 110-113, 1973.

Wilmore, J.H. Exercise induced alterations in weight of underweight women. *Arch. Phys. Med. and Rehab.* 54: 115-119, 1973.

Hammer, W.M. and J.H. Wilmore. An exploratory investigation in personality measures and physiological alterations during a 10-week jogging program. *J. Sports Med. Phys. Fitness* 13: 238-247, 1973.

Wilmore, J.H., H.L. Miller, and M.L. Pollock. Body composition and physiological characteristics of active endurance athletes in their eighth decade of life. *Med. Sci. Sports* 6: 44-48, 1974.

Wilmore, J.H. Exploding the myth of female inferiority. *Physician Sportsmed.* 2: 54-58, 1974.

Pollock, M.L., H.S. Miller, Jr., and J. Wilmore. A profile of a champion distance runner: Age 60. *Med. Sci. Sports* 6: 118-121, 1974.

Wilmore, J.H. Alterations in strength, body composition and anthropometric measurements consequent to a 10-week weight training program. *Med. Sci. Sports* 6: 133-138, 1974.

Brown, C.H. and J.H. Wilmore. The effects of maximal resistance training on the strength and body composition of women athletes. *Med. Sci. Sports* 6: 174-177, 1974.

Pollock, M.L., H.S. Miller, Jr., and J. Wilmore. Physiological characteristics of champion American track athletes 40 to 75 years of age. *J. Gerontology* 29: 645-649, 1974.

Wilmore, J.H. Strength, endurance and body composition of the female athlete. *Medical Aspects of Sports (AMA)*, 15: 34-39, 1974.

Wilmore, J.H. Inferiority of female athletes: Myth or reality? *J. Sports Med.* 3: 1-6, 1975.

Pipes, T.V. and J.H. Wilmore. Isokinetic vs. isotonic strength training in adult men. *Med. Sci. Sports* 7: 262-274, 1975.

Davis, J.A., P. Vodak, J.H. Wilmore, J. Vodak, and P. Kurtz. Anaerobic threshold and maximal aerobic power for three modes of exercise. *J. Appl. Physiol* 41: 544-550, 1976.

Wilmore, J.H., R.B. Parr, W.L. Haskell, D.L. Costill, L.J. Milburn, and R.K. Kerlan. Football Pros' Strengths--and CV Weaknesses--Charted. *Physician Sportsmed.* 4: 44-54, 1976.

Wilmore, J.H. The female athlete. *J. School Health* 47: 227-233, 1977.

Wilmore, J.H., C.H. Brown, and J.A. Davis. Body physique and composition of the female distance runner. *Annals New York Acad. Sciences* 301: 764-776, 1977.

Parr, R.B., J.H. Wilmore, R. Hoover, D. Bachman, and R.K. Kerlan. Professional basketball players: athletic profiles. *Physician Sportsmed.* 6: 77-84, 1978.

Wilmore, J.H., R.B. Parr, R.N. Girandola, P.Ward, P.A. Vodak, T.J. Barstow, T.V. Pipes, G.T. Romero and P. Leslie. Physiological alterations consequent to circuit weight training. *Med. Sci. Sports* 10: 79-84, 1978.

Wilmore, J.H., R.B. Parr, P. Ward, P.A. Vodak, T.J. Barstow, T.V. Pipes, G. Grimditch, and P. Leslie. Energy cost of circuit weight training. *Med. Sci. Sports* 10: 75-78, 1978.

Wilmore, J.H. The application of science to sport: Physiological profiles of male and female athletes. *Canad. J. Appl. Sports Sci.* 4: 103-115, 1979.

Farrell, P.A., J.H. Wilmore, and E.F. Coyle. Exercise heart rate as a predictor of running performance. *Res. Quart.* 51: 417-421, 1980.

Morris, A.M., J.H. Wilmore, A.E. Atwater, and J.M. Williams. Anthropometric measurements of 3-, 4-, 5-, and 6-year-old girls and boys. *Growth* 44: 253-267, 1980.

Rotkis, T., T.W. Boyden, R.W. Pamenter, P. Stanforth, and J.Wilmore. High density lipoprotein cholesterol and body composition of female runners. *Metabolism* 30: 994-995, 1981.

Boileau, R.A., J.H. Wilmore, T.G. Lohman, M.H. Slaughter and W.F. Rine. Estimation of body density from skinfold thicknesses, body circumferences and skeletal widths in boys aged 8 to 11 years: comparison of two samples. *Human Biology* 53: 575-592, 1981.

Wilmore, J.H. Women and sport: An introduction to the physiological aspects. *Medicine Sport* 14: 109-111, 1981.

Coyle, E.F., D.C. Feiring, T.C. Rotkis, R.W. Cote, III, F.B. Roby, W. Lee, and J.H. Wilmore. Specificity of power improvements through slow and fast isokinetic training. *J. Appl. Physiol.* 51: 1437-1442, 1981.

Morris, A.M., A.E. Atwater, J.M. Williams, and J.H. Wilmore. Motor performance and anthropometric screening: measurements for preschool age children. *Motor Development: Theory into Practice. Monograph* 3: 49-64, 1981.

Ewy, G.A., J.H. Wilmore, A.R. Morton, P.R. Stanforth, S.H. Constable, M.J. Buono, K.A. Conrad, H. Miller, and C.F. Gatewood. The effect of beta-adrenergic blockade on obtaining a trained exercise state. *J. Cardiac Rehab.* 3: 25-29, 1983.

Wilmore, J.H., G.A. Ewy, A.R. Morton, P.R. Stanforth, S.H. Constable, M.J. Buono, K.A. Conrad, H. Miller, and C.F. Gatewood. The effect of beta-adrenergic blockade on submaximal and maximal exercise performance. *J. Cardiac Rehab.* 3: 30-36, 1983.

Wilmore, J.H. Body composition in sport and exercise: directions for future research. *Med. Sci. Sports Exerc.* 15: 21-31, 1983.

Marsh, R., D. Lapan, S. Goldman, T.W. Boyden, T. Rotkis, P.R. Stanforth, and J.H. Wilmore. Effects of chronic, moderate endurance running on body composition and cardiac structure in women. *J. Cardiac Rehab.* 3: 208-212, 1983.

Boyden, T.W., R.W. Pamenter, P. Stanforth, T. Rotkis, and J.H. Wilmore. Sex steroids and endurance running in women. *Fertility Sterility* 39(5): 629-632, 1983.

Constable, S.H., M.J. Buono, P.R. Stanforth, T.C. Rotkis, A.R. Morton, and J.H. Wilmore. Maximal exercise and residual lung volume: considerations for body composition analysis. *Canad. J. Appl. Sport Sci.* 8: 189-192, 1983.

Wilmore, J.H. The 1983 McCloy Research Lecture: Appetite and Body Composition Consequent to Physical Activity. *Res. Quart. Exerc. Sport* 54: 415-425, 1983.

Wilmore, J.H. The assessment of and variation in aerobic power in world class athletes as related to specific sports. Amer. J. Sports Med. 12(2): 120-127, 1984.

Wilmore, J.H. A reaction to the manuscripts of Roche and Buskirk. Med. Sci. Sports Exerc. 16: 594-595, 1984.

Rotkis, T.C., T.W. Boyden, P.R. Stanforth, R.W. Pamenter, and J.H. Wilmore. Increased high-density lipoprotein cholesterol and lean weight in endurance trained women runners. J. Cardiac Rehab. 4: 62-66, 1984.

Hickson, J.F., J.H. Wilmore, M.J. Buono, and S.H. Constable. Energy cost of weight training exercise. National Strength Conditioning Assoc. J. 6: 22-23, 1984.

Wilmore, J.H., B.J. Freund, M.J. Joyner, G.A. Hetrick, A.A. Hartzell, R.T. Strother, G.A. Ewy, and W.E. Faris. Acute response to submaximal and maximal exercise consequent to beta-adrenergic blockade: Implications for the prescription of exercise. Am. J. Cardiol. 55: 135D-141D, 1985.

Wilmore, J.H., G.A. Ewy, B.J. Freund, A.A. Hartzell, S.M. Jilka, M.J. Joyner, C.A. Todd, S.M. Kinzer, and E.B. Pepin. Cardiorespiratory alterations consequent to endurance exercise training during chronic beta-adrenergic blockade with atenolol and propranolol. Am. J. Cardiol. 55: 142D-148D, 1985.

Anderson, R.L., J.H. Wilmore, M.J. Joyner, B.J. Freund, A.A. Hartzell, C.A. Todd, and G.A. Ewy. Effects of cardioselective and nonselective beta-adrenergic blockade on the performance of highly trained runners. Am. J. Cardiol. 55: 149D-154D, 1985.

Wilmore, J.H., M.J. Joyner, B.J. Freund, G.A. Ewy, and A.R. Morton. Beta-blockade and response to exercise - Influence of training. Physician. Sportsmed. 13-60-67, 1985.

Wilmore, J.H., E.R. Buskirk, M. DiGirolamo, and T.G. Lohman. Body Composition: A round table. Physician Sportsmed. 14(3): 144-162, 1986.

Joyner, M.J., B.J. Freund, S.M. Jilka, G.A. Hetrick, E. Martinez, G.A. Ewy, and J.H. Wilmore. Effects of β -blockade on exercise capacity of trained and untrained men: a hemodynamic comparison. J. Appl. Physiol. 60: 1429-1434, 1986.

Watson, R.R., S. Moriguchi, J.C. Jackson, L. Werner, J.H. Wilmore, and B.J. Freund. Modification of cellular immune functions in humans by endurance exercise training during β -adrenergic blockade with atenolol or propranolol. Med. Sci. Sports Exerc. 18: 95-100, 1986.

Morrison, D.A., T.W. Boyden, R.W. Pamenter, B.J. Freund, W.A. Stini, R. Harrington, and J.H. Wilmore. Effects of aerobic training on exercise tolerance and echocardiographic dimensions in untrained postmenopausal women. *Am. Heart J.* 112: 561-567, 1986.

Joyner, M.J., S.M. Jilka, J.A. Taylor, J.K. Kalis, J. Nittolo, R.W. Hicks, T.G. Lohman, and J.H. Wilmore. β -blockade reduces tidal volume during heavy exercise in trained and untrained men. *J. Appl. Physiol.* 62: 1819-1825, 1987.

Freund, B.J., M.J. Joyner, S.M. Jilka, J. Kalis, J.M. Nittolo, J.A. Taylor, H. Peters, G. Feese, and J.H. Wilmore. Thermoregulation during prolonged exercise in heat: Alterations with β -adrenergic blockade. *J. Appl. Physiol.* 63: 930-936, 1987.

Kalis, J.K., B.J. Freund, M.J. Joyner, S.M. Jilka, J. Nittolo, and J.H. Wilmore. Effect of beta-blockade on the drift in O₂ consumption during prolonged exercise. *J. Appl. Physiol.* 64: 753-758, 1988.

Jilka, S.M., M.J. Joyner, J.M. Nittolo, J.K. Kalis, J.A. Taylor, T.G. Lohman, and J.H. Wilmore. Maximal exercise responses to acute and chronic beta-adrenergic blockade in healthy male subjects. *Med. Sci. Sports Exerc.* 20: 570-573, 1988.

Wilmore, J.H. Exercise testing, training, and beta-adrenergic blockade. *Physician and Sportsmed.* 16 (12): 45-52, 1988.

Morton, A.R., P.R. Stanforth, B.J. Freund, M.J. Joyner, S.M. Jilka, A.A. Hartzell, G.A. Ewy and J.H. Wilmore. Alterations in plasma lipids consequent to endurance training and beta-blockade. *Med. Sci. Sports Exerc.* 21: 288-292, 1989.

Horswill, C.A., T.G. Lohman, M.H. Slaughter, R.A. Boileau, and J.H. Wilmore. Estimation of minimal weight of adolescent males using multicomponent models. *Med. Sci. Sports Exerc.* 22: 528-532, 1990.

Kwee, A. and J.H. Wilmore. Cardiorespiratory fitness and risk factors for coronary artery disease in 8- to 15-year-old boys. *Pediat. Exerc. Sci.* 2: 372-383, 1990.

Scruggs, K.D., N.B. Martin, C.E. Broeder, Z. Hofman, E.L. Thomas, K.C. Wambsgans, and J.H. Wilmore. Stroke volume during submaximal exercise in endurance-trained normotensive subjects and in untrained hypertensive subjects with beta-blockade (propranolol and pindolol). *Am. J. Cardiol.* 67: 416-421, 1991.

Broeder, C.E., M. Brenner, Z. Hofman, I.J.M. Paijmans, E.L. Thomas, and J.H. Wilmore. The metabolic consequences of low and moderate intensity exercise with or without feeding in lean and borderline obese males. *Int. J. Obesity* 15: 95-104, 1991.

Wilmore, J.H., K.C. Wambsgans, M. Brenner, C.E. Broeder, I. Pajmans, J.A. Volpe, and K.M. Wilmore. Is there energy conservation in amenorrheic compared with eumenorrheic distance runners? *J. Appl. Physiol.*, 72: 15-22, 1992.

Schulz, L.O., S. Alger, I. Harper, J.H. Wilmore, and E. Ravussin. Energy expenditure of elite female runners measured by respiratory chamber and doubly-labeled water. *J. Appl. Physiol.*, 72: 23-28, 1992.

Broeder, C.E., K.A. Burrhus, L.S. Svanevik, and J.H. Wilmore. The effects of aerobic fitness on resting metabolic rate. *Am. J. Clin. Nutr.* 55: 795-801, 1992.

Broeder, C.E., K.A. Burrhus, L.S. Svanevik, and J.H. Wilmore. The effects of either high intensity resistance or endurance training on resting metabolic rate. *Am. J. Clin. Nutr.* 55: 802-810, 1992.

Pajmans, I.J.M., K.M. Wilmore, J.H. Wilmore. Use of skinfolds and bioelectrical impedance for body composition assessment after weight reduction. *J. Am. Coll. Nutr.*, 11: 145-151, 1992.

Kiernan, M., J. Rodin, K.D. Brownell, J.H. Wilmore, and C. Crandall. Relation of level of exercise, age, and weight-cycling history to weight and eating concerns in male and female runners. *Health Psych.* 11: 418-421, 1992.

Belcher, J.D., R.C. Ellison, W.E. Shepard, C. Bigelow, L.S. Webber, J.H. Wilmore, G.S. Parcel, D.M. Zucker, and R.V. Luepker. Lipid and lipoprotein distributions in children by ethnic group, gender, and geographic location - preliminary findings of the Child and Adolescent Trial for Cardiovascular Health (CATCH). *Preventive Med.* 22: 143-153, 1993.

Barata, J.T. and J.H. Wilmore. Beta-blockers, exercise training, blood lipids and lipoproteins. *J. Cardiopulmonary Rehabil.*, 13: 167-171, 1993.

Broeder, C.E., E.L. Thomas, N.B. Martin, Z. Hofman, J.K. Jesek, K.D. Scruggs, K.C. Wamsgans, and J.H. Wilmore. Effects of propranolol and pindolol on cardiac output during extended periods of low-intensity physical activity. *Am. J. Cardiol.* 72: 1188-1195, 1993.

Turley, K.R., J.H. Wilmore, B. Simons-Morton, J.M. Williston, J. Reeds Epping, and G. Dahlstrom. The reliability and validity of the 9-minute run in third-grade children. *Pediat. Exer. Sci.*, 6: 178-187, 1994.

Wilmore, K.M., P.J. McBride, and J. H. Wilmore. Comparison of bioelectric impedance and near-infrared interactance for body composition assessment in an overweight and obese population. *Int. J. Obesity*, 18: 375-381, 1994.

Alpert, B.S. and J.H. Wilmore. Physical activity and blood pressure in adolescents. *Pediatr. Exer. Sci.*, 6: 361-380, 1994.

Turley, K.R., D.M. Rogers, K.M. Harper, K.I. Kujawa and J.H. Wilmore. Maximal treadmill versus cycle ergometry testing in children: differences, reliability, and variability of responses. *Pediatr. Exer. Sci.*, 7: 49-60, 1995.

Bouchard, C. A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and J. Gagnon. The HERITAGE Family Study: aims, design, and measurement protocol. *Med. Sci. Sports Exerc.*, 27: 721-729, 1995.

Wilmore, J.H. Increasing physical activity: alterations in body mass and composition. *Am. J. Clin. Nutr.* 63: 456S-460S, 1996

Wilmore, J.H., P.R. Stanforth, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, and C. Bouchard. Endurance exercise training has a minimal effect on resting heart rate: the HERITAGE study. *Med. Sci. Sports Exerc.* 28: 829-835, 1996.

Wilmore JH, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, and C. Bouchard. Genetics, response to exercise, and risk factors: The HERITAGE Family Study. *World Rev. Nutr. Diet.* 81: 72-83, 1997.

Turley, K.R. and J.H. Wilmore. Cardiovascular responses to treadmill and cycle ergometer exercise in children and adults. *J. Appl. Physiol.*, 83: 948-957, 1997.

Wilmore, J.H. Invited Editorial: Weight Gain, Weight Loss and Weight Control: What Is the Role of Physical Activity? *Nutrition*, 13: 820-822, 1997.

Mier, C.M., M.A. Domenick, and J.H. Wilmore. Changes in stroke volume with β -blockade before and after 10 days of exercise training in men and women. *J. Appl. Physiol.*, 83: 1660-1665, 1997.

Gagnon, J., M.-A. Ho-Kim, Y.C. Chagnon, L. Pérusse, F.T. Dionne, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Absence of linkage between VO_2 max and its response to training with markers spanning chromosome 22. *Med. Sci. Sports Exerc.*, 29: 1448-1453, 1997.

Pérusse, L., T. Rice, J.P. Deprés, J. Bergeron, M.A. Province, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore and C. Bouchard. Familial resemblance of plasma lipids, lipoproteins and postheparin lipoprotein and heptaic lipases in the HERITAGE Family Study. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 17: 3263-3269, 1997.

Mier, C.M., M.A. Domenick, and J.H. Wilmore. Changes in stroke volume with β -blockade before and after 10 days of exercise training in men and women. **J. Appl. Physiol.**, 83: 1660-1665, 1997.

Gagnon, J., M.-A. Ho-Kim, Y.C. Chagnon, L. Pérusse, F.T. Dionne, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Absence of linkage between $\text{VO}_2 \text{ max}$ and its response to training with markers spanning chromosome 22. **Med. Sci. Sports Exerc.**, 29: 1448-1453, 1997.

Pérusse, L., T. Rice, J.P. Deprés, J. Bergeron, M.A. Province, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore and C. Bouchard. Familial resemblance of plasma lipids, lipoproteins and postheparin lipoprotein and heptaic lipases in the HERITAGE Family Study. **Arteriosclerosis, Thrombosis, and Vascular Biology**, 17: 3263-3269, 1997

Hong, Y., T. Rice, J.-P. Després, A. Nadeau, L. Pérusse, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. Familial clustering of insulin and abdominal visceral fat: The HERITAGE Family Study. **J. Clin. Endocrin. Metabolism**. 83: 4239-4245, 1998.

Rivera, M.A., L. Pérusse, J.-A. Simoneau, J. Gagnon, F.T. Dionne, A.S. Leon, J.S. Skinner, J.H. Wilmore, M. Province, D.C. Rao, and C. Bouchard. Linkage between a muscle-specific CK gene marker and $\text{VO}_2 \text{ max}$ in the HERITAGE Family Study. **Med. Sci. Sports Exerc.** 31: 698-701, 1999.

Hong, Y., T. Rice, J.-P. Després, J. Gagnon, A. Nadeau, L. Pérusse, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, and D.C. Rao. Evidence of a major locus for lipoprotein lipase (LPL) activity in addition to a pleitropic locus for both LPL and fasting insulin: Results from the HERITAGE Family Study. **Atherosclerosis**, 144: 393-401, 1999.

An, P., T. Rice, J. Gagnon, I.B. Borecki, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Familial aggregation of resting blood pressure and heart rate in a sedentary population: the HERITAGE Family Study. **Am. J. Hypertens.**, 12: 264-270, 1999.

Sun, G., J. Gagnon, Y.C. Chagnon, L. Pérusse, J.-P. Després, A.S. Leon, J. H. Wilmore, J.S. Skinner, I. Borecki, D.C. Rao, C. Bouchard. Association and linkage between an insulin-like growth factor-1 gene polymorphism and fat free mass in the Heritage Family Study. **Int. J. Obesity**, 23: 929-935, 1999.

Rankinen, T., J. Gagnon, L. Pérusse, T. Rice, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Body fat, resting and exercise blood pressure and the antiotensinogen M235T polymorphism: The HERITAGE Family Study. **Obesity Res.** 7: 423-430, 1999.

An, P. T. Rice. J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Cross-trait familial resemblance for resting blood pressure and body composition and fat distribution: The HERITAGE Family Study. **Am. J. Human Biol.**, 12: 32-41, 2000.

Bouchard, C., T. Rankinen, Y.C. Chagnon, L. Pérusse, J. Gagnon, T. Rice, I. Borecki, A.S. Leon, J.S. Skinner, J.H. Wilmore, M. Province, and D.C. Rao. Genomic scan for maximal oxygen uptake and its response to training in the HERITAGE Family Study. **J. Appl. Physiol.**, 88: 551-559, 2000.

Hong, Y., J.-P. Dépres, T. Rice, A. Nadeau. M.A. Province, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Evidence of pleiotropic loci for fasting insulin, total fat mass, and abdominal visceral fat in a sedentary population: The Heritage Family Study. **Obes. Research**, 8: 151-159, 2000.

An, P. T. Rice. L. Pérusse, I.B. Borecki, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Complex segregation analysis of resting blood pressure and heart rate measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. **Am. J. Hypertension**, 13: 488-497, 2000.

Leon, A.S., T. Rice, S. Mandel, J.-P. Després, J. Bergeron, J. Gagnon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Blood lipid response to 20 weeks of supervised exercise in a large biracial population: The HERITAGE Family Study. **Metabolism**, 49: 513-520, 2000.

An, P. T. Rice. I.B. Borecki, L. Pérusse, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Major gene effect on subcutaneous fat distribution in a sedentary population and its response to exercise training: The HERITAGE Family Study. **Am. J. Human Biology**, 12: 600-609, 2000.

Després, J.P., C. Couillard, J. Gagnon, N. Bergeron, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Race, visceral adipose tissue, plasma lipids, and lipoprotein lipase activity in men and women: the health, risk factors, exercise training, and genetics (HERITAGE) family study. **Arterioscler. Thromb. Vasc. Biol.** 20: 1932-1938, 2000.

Hong, Y., T. Rice, J. Gagnon, L. Pérusse, M. Province, C. Bouchard, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and J.-P. Després. Familiality of triglyceride and LPL responses to exercise training: The HERITAGE Study. **Med. Sci. Sports Exerc.**, 32: 1438-1444, 2000.

Katzmarzyk, P.T., L. Pérusse, T. Rice, J. Gagnon, J.S. Skinner, J. H. Wilmore, A.S. Leon, D.C. Rao, and C. Bouchard. Familial resemblance for coronary heart disease risk: The HERITAGE Family Study. **Ethn. Dis.** 10: 138-147, 2000.

Chagnon, Y.C., T. Rice, L. Pérusse, I.B. Borecki, M.A. Ho-Kim, M. Lacaille, C. Pare, L. Bouchard, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Genome scan for genes affecting body composition before and after training in Caucasians from HERITAGE. **J. Appl. Physiol.** 90: 1777-1787, 2001.

Couillard, C., J.P. Després, B. Lamarche, J. Bergeron, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore and C. Bouchard. Effects of endurance exercise training on plasma HDL cholesterol levels depend on levels of triglycerides. **Arterioscler. Thromb. Vas. Biology**. 21: 1226-1232, 2001.

Garenc, C., L. Pérusse, J. Bergeron, J. Gagnon, Y.C. Chagnon, I.B. Borecki, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Evidence of LPL gene-exercise interaction for body fat and LPL activity: the HERITAGE Family Study. **J. Appl. Physiol.**, 91: 1334-1340, 2001.

Ukkola, O., J. Gagnon, T. Rankinen, P.A. Thompson, Y. Hong, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Age, body mass index, race and other determinants of steroid hormone variability: The HERITAGE Family Study. **Europ. J. Endocrinol.**, 145: 1-9, 2001.

Rankinen T., P. An, T. Rice, G. Sun, Y.C. Chagnon, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Genomic scan for exercise blood pressure in the Health, Risk Factors, Exercise Training and Genetics (HERITAGE) Family Study. **Hypertension**, 38: 30-37, 2001.

Katzmarzyk P.T., A.S. Leon, T. Rankinen, J. Gagnon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. Changes in blood lipids consequent to aerobic exercise training related to changes in body fatness and aerobic fitness. **Metabolism**, 50: 841-848, 2001.

Wilmore, J.H., J.S. Green, P.R. Stanforth, J. Gagnon, T. Rankinen, A.S. Leon, D.C. Rao, J.S. Skinner, and C. Bouchard. Relationship of changes in maximal and submaximal aerobic fitness to changes in cardiovascular disease and non-insulin-dependent diabetes mellitus risk factors with endurance training: The HERITAGE Family Study. **Metabolism**, 50: 1255-1263, 2001.

Bergeron J., C. Couillard, J.P. Després, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Race differences in the response of postheparin plasma lipoprotein lipase and hepatic lipase activities to endurance exercise training in men: Results from the HERITAGE Family Study. **Atherosclerosis** 159: 399-406, 2001.

Green, J.S., P.R. Stanforth, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, C. Bouchard, T. Rankinen, and J.H. Wilmore. Menopause, estrogen, and training effects on exercise hemodynamics: the HERITAGE study. **Med. Sci. Sports Exerc.** 34: 74-82, 2002.

Rice T., Y.C. Chagnon, L. Pérusse, I.B. Borecki, O. Ukkola, T. Rankinen, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, D.C. Rao. A genomewide linkage scan for abdominal subcutaneous and visceral fat in Black and White families: The HERITAGE Family Study. **Diabetes**, 51: 848-855, 2002.

Feitosa, M.F., T. Rice, R. Rosmond, I.B. Borecki, P. An, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. A genetic study of cortisol measured before and after endurance training: The HERITAGE Family Study. **Metabolism**, 51: 360-365, 2002.

Rice T., J.-P. Després, L. Pérusse, Y. Hong, M.A. Province, J. Bergeron, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, D.C. Rao. Familial aggregation of blood lipid response to exercise training in the HERITAGE Family Study. **Circulation**. 105: 1904-1908, 2002.

Rice T., Y.C. Chagnon, I.B. Borecki, L. Pérusse, G. Collier, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, D.C. Rao. Familial resemblance for plasma leptin: Sample homogeneity across adiposity and ethnic groups. **Obesity Res.** 10: 351-360, 2002.

Rice, T., T. Rankinen, Y.C. Chagnon, M.A. Province, L. Pérusse, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Genomwide linkage scan of resting blood pressure: Heritage Family Study. **Hypertension**. 39: 1037-1043, 2002

Feitosa, M.F., S.E. Gaskill, T. Rice, T. Rankinen, C. Bouchard, D.C. Rao, J.H. Wilmore, J.S. Skinner, and A.S. Leon. Major gene effects on exercise ventilatory threshold: the HERITAGE Family Study. **J. Appl. Physiol.** 93: 1000-1006, 2002.

Rankinen, T., P. An, L. Pérusse, T. Rice, Y.C. Chagnon, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Genome-wide linkage scan for exercise stroke volume and cardiac output in the HERITAGE Family Study. **Physiol. Genomics**, 10: 57-62, 2002.

Hong, Y., S.J. Weisnagel, T. Rice, G. Sun S.A. Mandel, C. Gu, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, R.N. Bergman, C. Bouchard, and D.C. Rao. Familial resemblance for glucose and insulin metabolism indices derived from an intravenous glucose tolerance test in Blacks and Whites of the HERITAGE Family Study. **Clin. Genetics**. 60: 22-30, 2001.

Ukkola, O., T. Rankinen, J. Gagnon, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. A genome-wide linkage scan for steroids and SHBG levels in Black and White families: The HERITAGE Family Study. **J. Clin. Endocrinol. Metab.**, 87: 3708-3720, 2002.

Feitosa, M.F., T. Rice, R. Rosmond, T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Pleiotropic relationships between cortisol levels and adiposity in the sedentary state and in response to training: The HERITAGE Family Study. **Obesity Res.**, 10: 1222-1231, 2002.

Feitosa, M.F., I. Borecki, T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Lack of pleiotropic effects between adiposity and sex hormone-binding globulin levels before and after 20 weeks of exercise training: the HERITAGE Family Study. **Metabolism**, 52: 35-41, 2003.

Rico-Sanz J., T. Rankinen, D. Joansse, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao and C. Bouchard. Associations between cardiorespiratory responses to exercise and the C34T AMPD1 gene polymorphism in the HERITAGE Family Study. **Physiol. Genomics**, 14:161-166, 2003.

Loos, R., P. Katzmarzyk, D.C. Rao, T. Rice, A.S. Leon, J.H. Wilmore, J.S. Skinner, T. Rankinen, and C. Bouchard. Genome-wide linkage scan for metabolic syndrome in the HERITAGE Family Study. **J. Clin. Endocrinol. Metabol.** 88:5935-5943, 2003.

Wilmore, J.H. Applied exercise physiology: a personal perspective of the past, present, and future. **Exerc. Sports Sci. Rev.** 31: 159-160, 2003.

Leon, A.S., K. Togashi, T. Rankinen, J.-P. Després, D.C. Rao, J. Skinner, J.H. Wilmore and C. Bouchard. Association of apolipoprotein E polymorphism with blood lipids and maximal oxygen uptake in the sedentary state and after exercise training in the HERITAGE Family Study. **Metabolism** 53:108-116, 2004.

Rico-Sanz J., T. Rankinen, T. Rice, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Quantitative trait loci for maximal exercise capacity phenotypes and their responses to training in the HERITAGE Family Study. **Physiol. Genomics** 16 :256-260, 2004.

Tanaka, S., Togashi, K., T. Rankinen, L. Pérusse, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, J.P. Després, and C. Bouchard. Sex differences in the relationships of abdominal fat to cardiovascular disease risk among normal-weight white subjects. **Int. J. Obesity**, 28: 320-323, 2004.

Collaku, A., T. Rankinen, T. Rice, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. A genome-wide linkage scan for dietary energy and nutrient intake: the Health, Risk Factors, Exercise Training, and Genetics (HERITAGE) Family Study. **Am. J. Clin. Nutr.** 79: 881-886, 2004.

Ardern, C.I., P.T. Katmarzyk, I. Janssen, A.S. Leon, J.H. Wilmore, J.S. Skinner, D.C. Rao, J.P. Després, T. Rankinen, and C. Bouchard. Race and sex similarities in exercise-induced changes in blood lipids and fatness. **Med. Sci. Sports Exerc.** 36: 1610-1615, 2004.

Boule, N.G., S.J. Weisnagel, T.A. Lakka, A. Tremblay, R.N. Bergman, T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, D.C. Rao, and C. Bouchard. Effects of exercise training on glucose homeostasis: the HERITAGE Family Study. **Diabetes Care**, 28: 108-114, 2005.

An, P., T. Rice, T. Rankinen, A.S. Leon, J.S. Skinner, J.H. Wilmore, C. Bouchard, and D.C. Rao. Genome-wide scan to identify quantitative trait loci for baseline resting heart rate and its response to endurance exercise training: The HERITAGE Family Study. **Int. J. Sports Med.**, 27: 31-36, 2006.

Okura, T., T. Rankinen, J. Gagnon, S. Lussier-Cacan, J. Davignon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, and C. Bouchard. Effect of regular exercise on homocysteine concentrations: the HERITAGE Family Study. **Eur. J. Appl. Physiol.**, 98: 394-401, 2006.

Blache, D., S. Lussier-Cacan, J. Gagnon, A.S. Leon, D.C. Rao, J.S. Skinner, J.H. Wilmore, T. Rankinen, C. Bouchard, and J. Davignon. Effect of exercise training on in vitro LDL oxidation and free radical-induced hemolysis: The HERITAGE Family Study. **Antioxid. Redox Signal.**, 9: 123-130, 2007.